







Since 1980

India's Leading Packaging Paper Manufacturers

A New Era of Excellence in **MULTI LAYER KRAFT PAPER** Industry



mmmm





Paper Products

- High Burst Strength Kraft Paper
- High RCT Fluting Paper
- Test Liner

- High Ply Bond Paper
- Kraft Board
- Abrasive Paper

Corporate Information

About Us

Paswara Papers Ltd is a Paswara Group Company based in India and engaged in the manufacturing of Multi Layer Kraft Paper (Corrugated Case Materials) and Kraft Paper Board, used for making packaging boxes, cartons, paper bags, etc, to cater the Specialty Paper Market in India and abroad.

It is one of the oldest and largest production facility for Kraft paper having total production capacity over 225,000 MT annually, considered to be the best paper mill in India.

Corrugated Paper, manufactured from recycled paper and wholly recyclable, is a fantastic packaging choice for environmentally conscious companies looking to reduce plastic waste and carbon footprint.

In the past few years, the group has emerged to be one of the largest exporters of Kraft Paper from North India, currently exporting over 50,000 Metric Tons annually to various countries including China, Malaysia, Thailand, Vietnam, Turkey, Bangladesh, Sri Lanka, Kuwait, Ethiopia, UAE etc

Vision

With staving focused on guality, creativity and new development, the Paswara Group envisions to establish itself as an elite paper manufacture in the World with best quality products that can be used in multiple industries. Now, the Group is underway in the establishment of another Paper Mill to manufacture Specialty Paper to meet the new demands of the market. The Group plans to increase its production to 350,000 MT per annum by the year 2025.

Our Core Values

We have been able to grow as a vertically integrated company by adhering to a set of principles and values. Our operations revolve around the following core values:

Excellence • Honesty • Quality • Transparency

Quality Assurance: We have hired high qualified professionals, who give their best to provide our clients high quality product range as per the defined standards. With the help of our expert quality controllers, flawless range of craft paper reaches at the clients' end.

The final product is checked on the following parameters:

- GSM Burst Strength RCT
- Colour
 Finishing
- Packing

Client Satisfaction: Our organisation is committed in building sound and mutually beneficial relationships with our customers. Due to our quality products, we have earned a lot of appreciation from our market and continuously strive to deliver maximum satisfaction to all clients.

Our Management

We have employed diligent team of highly skilled experts that possesses industry wide experience and ample knowledge of the concerned domain. Our Team:

Mr Arvind Agarwal (Chairman & Managing Director) Mr Vinod Agarwal (Whole Time Director)

- Mr Kapil Singhal (Whole Time Director) Mr Aksheev Agarwal
 - Mr Nishit Singhal
- Mr Deept Agarwal

- Mr Shobhit Agarwal

Infrastructure

We have well-established manufacturing unit, which is installed with all the latest machines and tools required for the fabrication of our product range. This unit also facilitates us in customising our range as well as in the timely execution of the orders of our clients. We have divided our infrastructure into various units in order to avoid any kind of hesitation while working.

Our infrastructure has the following units:

- Manufacturing Unit
- Research and Development Unit
- Quality Control Department

		PM -	1 TECHNICAL		IONS		
PRODUC	CT: MULTILAY	ER KRAFT P	APER, GY/VIR	GIN PAPER	FINISH DECH	KLE: 191 IN (4850 MM)
SUBSTANC E FACTOR	BURST STRENGTH		COBB (gm/m ²⁾	RCT	TEAR FACTOR		MOISTUR RANGE
GSM ± 4%	(В	F)	(60SEC)	(KN/M)			%
TAPPI- 402	TAPPI- 403	kg/cm ²	TAPPI- 401	TAPPI-818	TAPPI- 498		TAPPI-
				CD	MD	CD	412
		١	MULTI LAYER	KRAFT PAPE	R		
140	18	2.5	- 45 ± 5	0.90	55	62	- 8±1
180		3.2		1.40	65	75	
220		4.0		2.00	75	93	
250		4.5		2.30	82	95	
140		2.8	- 45 ± 5	1.00	60	68	- 8±1
180	20	3.6		1.55	70	78	
220		4.4		2.10	78	98	
250		5.0		2.35	90	100	
140	22	3.1	40 ± 2	1.10	63	70	- 8 ± 1
180		4.0		1.70	72	80	
220		4.8		2.40	92	100	
250		5.5		2.50	94	104	
140	25	3.5	40 ± 2	1.30	63	73	8 ± 1
180		4.5		1.80	75	85	
220		5.5		2.45	94	108	
250		6.3		2.55	96	110	
140	28	3.9	- 40 ± 2	1.45	65	75	- 8±1
180		5.0		1.90	78	88	
220		6.2		2.50	95	110	
250		7.0		2.65	98	115	
140	35	4.9	- 40 ± 2	1.65	68	78	8 ± 1
180		6.3		2.20	85	95	
220		7.7		2.80	105	115	
250		8.8		3.00	108	120	
			ABRASIV	E PAPER			
GSM	COBB		POROSITY		TENSILE (KM)		
140	35 ± 2		60 SEC		12.0 - 13.0		
			CARRY B	AG PAPER			
GSM	STANDARD BF		MOISTURE		COBB		
100	28		8 ± 1		35 ± 2		
TEST CLI	MATE : 27°C,	HUMIDITY: 60)-65% REEL	DIAMETER :	1000 MM IN	NER CORE:	76/100 MM

	PRODUCT: K	RAFIPAPER F	INISH DECKLE: 87		
SUBSTANCE FACTOR		RST NGTH	СОВВ	RCT	MOISTURE RANGE
GSM ± 5%	(BF)		(60SEC)	(KN/M)	%
TAPPI-	TAPPI-	kg/cm ²	TAPPI- 401	TAPPI-818	TAPPI- 412
402	403			CD	
		KRAFT	PAPER		
100	10	1.8	45 ± 5	0.50	8 ± 1
120	18	2.2		0.65	
100	00	2.0		0.60	8 ± 1
120	20	2.4	45 ± 5	0.75	
100		2.2	10 . 5	0.75	8 ± 1
120	22	2.6	40 ± 5	0.95	
TEST CLIMA	TE · 27°C HUMI)ITY: 60-65% RF	EL DIAMETER : 9	65 MM LINNER C	ORE: 76 MM

PRODUC	T: KRAFT BOARD (RC	LLS & SHEETS) FI	VISH DECKLE: 76 IN	(1930 mm)	
SUBSTANCE FACTOR		RST NGTH	СОВВ	MOISTURE RANG	
GSM ± 5%	(BF)		(60SEC)	%	
TAPPI- 402	TAPPI- 403	kg/cm ²	TAPPI- 401	TAPPI- 412	
		KRAFT BOARD			
300		3.6		8 ± 1	
350		4.2	- 150 ± 15		
400	12	4.8			
450		5.4			
300		4.2	- 150 ± 15	8 ± 1	
350		4.9			
400	14	5.6			
450		6.3			
300		4.8	- 150 ± 15	8 ± 1	
350		5.6			
400	16	6.4			
450		7.2			
300		4.8	- 150 ± 15	8 ± 1	
350	10	5.6			
400	18	6.4			
450		7.2			
		PLYBOND PAPER			
250		250	150 ± 15	8 ± 1	
300	PLYBOND				
350					
250		300	150 ± 15	8 ± 1	
300	PLYBOND				
350					
250		350	150 ± 15	8 ± 1	
300	PLYBOND				
350					



SWARA PAPERS LIMIT

India's Leading Packaging Paper Manufacturers

Since 1980

Our Product Users



Our Certifications



Factory: Paswara Border, NH- 34, Delhi Road, Mohiuddinpur, Meerut - 250205 (U.P.), India
 Reg Office: Paswara House, Baghpat Road, Meerut -250002 (U.P.) India
 Website: www.paswara.com | E-mail: query@paswara.com | Tel: +91-9837891035